Plant Pathology

A record of current work on plant diseases and pests in the British Isles

INDEX
VOLUME 29, 1980

Author: *pages* iii–iv
Subject: *pages* v–vii

LONDON: HER MAJESTY'S STATIONERY OFFICE

AUTHOR INDEX

ALFORD, D. V. *Blastobasis decolorella* (Wollaston) (Lepidoptera: Blastobasidae), a potentially serious apple pest, 145–6.

ALPHEY, T. J. W. The efficacy of fumigation of nematode-infested soil following different methods of soil sealing, 131–5.

ARCHER, B. M. *(joint author)*, see Emmett, B. J., 177–83.

BARTLETT, P. W. Colorado beetles reported in England, Wales and Scotland, 1979, 45–8.

BENTLEY, J. I. Downy mildew *(Peronospora lamii)* on *Lamium maculatum*, 201–2.

BENTLEY, J. I. Truffles *(Hydnobolites cerebriformis)* on putting greens in Yorkshire, 202.

BOND, D. A. and POPE, M. *Ascochyta fabae* on winter beans *(Vicia faba)*: pathogen spread and variation in host resistance, 59–65.

BOND, D. A. *(joint author)*, see Jellis, G. J., 66–9.

BOWMAN, C. E. and SOUTHGATE, B. J. *Pentamerismus taxi* (Haller) (Acari: Tenuipalpidae) infesting yew in England, 144–5.

BROKENSHIRE, T. Black mould of roses in Scotland caused by *Chalaropsis thielavioides*, 56.

CHAMBERLAIN, JUDITH A. and EVANS, P. E. *Aceria tulipae* (Keifer) (Acarina: Eriophyidae) on *Lolium* spp. in Wales, 99–100.

CHOPPIN DE JANVRY, E. *(joint author)*, see Dewar, A. M., 101–9.

CLARKSON, J. D. S. *(joint author)*, see Polley, R. W., 110–16.

COCHRANE, J. Meteorological aspects of the numbers and distribution of the rose-grain aphid, *Metopolophium dirhodum* (Wlk.), over south-east England in July 1979, 1–8.

COOK, R. J. Effects of late-season fungicide sprays on yield of winter wheat, 21–7.

COTTEN, J. and ROBERTS, HELEN. Effect of four crops on the reproduction and development of *Xiphinema diversicaudatum* and on the pore space, moisture content and temperature of the soil, 70–6.

CROSS, J. V. The effect of aldicarb on the control of red spider mite, *Tetranychus urticae* (Koch), by the predator *Phytoseiulus persimilis* Athias-Henriot on year-round chrysanthemums, 184–90.

DAY, R. *(joint author)*, see Gilligan, C. A., 53.

DEWAR, A. M., WOIWOD, I. and CHOPPIN DE JANVRY, E. Aerial migrations of the rose-grain aphid, *Metopolophium dirhodum* (Wlk.), over Europe in 1979, 101–9.

DUDLEY, C. L. *(joint author)*, see Taylor, J. D., 117–21.

EMMETT, B. J. Key for the identification of lepidopterous larvae infesting brassica crops, 122–3.

EMMETT, B. J. and ARCHER, B. M. The toxicity of diflubenzuron to honey bee *(Apis mellifera* L.) colonies in apple orchards, 177–83.

EMMETT, B. J. and SAVAGE, M. J. Chemical control of onion fly, *Delia antiqua* (Meig.), 159–67.

ENTWISTLE, A. R. and MUNASINGHE, H. L. The effects of iprodione in granule or combined granule and stem-base applications on white rot disease *(Sclerotium cepivorum)* of spring-sown salad onions, 149–52.

ENTWISTLE, A. R. and MUNASINGHE, H. L. The effect of seed and stem-base treatments with thiophanate-methyl on the control of white rot disease *(Sclerotium cepivorum)* of autumn-sown salad onions, 153–8.

EVANS, E. J. *(joint author)*, see Hill, S. A., 197–9.

EVANS, P. E. *(joint author)*, see Chamberlain, Judith A., 99–100.

FLETCHER, J. T. and HIMS, M. J. A new disease of watercress, 200–1.

FURK, C., POWELL, D. F. and HEYD, S. Pirimicarb resistance in the melon and cotton aphid, *Aphis gossypii* Glover, 191–6.

GILLIGAN, C. A., PECHAN, P. M., DAY, R. and HILL, S. A. Beet western yellows virus on oilseed rape *(Brassica napus* L.), 53.

GLADDERS, P. *(joint author)*, see Wilcox, H. J., 98.

GLADDERS, P. and MUSA, T. M. Observations on the epidemiology of *Leptosphaeria maculans* stem canker in winter oilseed rape, 28–37.

HEYD, S. *(joint author)*, see Furk, C., 191–6.

HILL, S. A. *(joint author)*, see Gilligan, C. A., 53.

HILL, S. A. and WRIGHT, DAPHNE M. Identification of dasheen mosaic virus in *Dieffenbachia picta* and *Xanthosoma helliborifolium* by immune electron microscopy, 143–4.

HILL, S. A. and EVANS, E. J. Barley yellow mosaic virus, 197–9.

HIMS, M. J. *(joint author)*, see Fletcher, J. T., 200–1.

HUMPHREYS-JONES, D. R. *Myrothecium roridum* leaf blotch on *Kolkwitzia amabilis*, 55.

HUMPHREYS-JONES, D. R. *Phytophthora nicotianae* var. *nicotianae* on *Peperomia magnoliaefolia* and *Kalanchoe blossfeldiana*, 98–9.

HUMPHREYS-JONES, D. R. Leaf and shoot death *(Coniothyrium fuckelii)* on *Thuya orientalis* cv. Aurea Nana, 199–200.

JELLIS, G. J. and BOND, D. A. Observations on the incidence of *Botrytis* pod rot on *Vicia faba*, 66–9.

JONES, R. A. C. *(joint author)*, see Talley, Janine, 77–9.

LENNARD, J. H. Factors influencing the development of potato pink rot *(Phytophthora erythroseptica)*, 80–6.

LENNARD, J. H. Factors affecting the development of silver scurf *(Helminthosporium solani)* on potato tubers, 87–92.

LIGHT, W. I. St. G. Surveys of apple-grass aphid on apple in southern England, 1965–76, 136–9.

McKINLAY, R. G. Observations on the termination of diapause in eggs of the wheat bulb fly *(Delia coarctata* (Fall.)) and soil temperature, 168–72.

McNAMARA, D. G. The spread of arabis mosaic virus through non-cultivated vegetation, 173–6.

MUNASINGHE, H. L. *(joint author)*, see Entwistle, A. R., 149–52.

MUNASINGHE, H. L. *(joint author)*, see Entwistle, A. R., 153–8.

MUSA, T. M. *(joint author)*, see Gladders, P., 28–37.

OAKLEY, J. N. Damage to barley germ by *Limothrips* spp. (Thysanoptera: Thripidae), 99.

PECHAN, P. M. *(joint author)*, see Gilligan, C. A., 53.

POLLEY, R. W. and CLARKSON, J. D. S. Take-all severity and yield in winter wheat: relationship established using a single plant assessment method, 110–16.

POPE, M. *(joint author)*, see Bond, D. A., 59–65.

POWELL, D. F. *(joint author)*, see Furk, C., 191–6.

ROBERTS, HELEN *(joint author)*, see Cotten, J., 70–6.

ROBERTS, PAULINE. Problems encountered during immunofluorescent diagnosis of fireblight, 93–7.

RYAN, J. and RYAN, M. F. Observations on the natural mortality of the overwintering pupa of the cabbage root fly, *Delia brassicae* (Wiedemann), in Ireland, 38–44.

RYAN, M. F. *(joint author)*, see Ryan, J., 38–44.

SAVAGE, M. J. Damage to potatoes by the beet carrion beetle, *Aclypea opaca* (L.) (Coleoptera: Silphidae), 54.

SAVAGE, M. J. *(joint author)*, see Emmett, B. J., 159–67.

SOUTHGATE, B. J. *(joint author)*, see Bowman, C. E., 144–5.

STROYAN, H. L. G. The leaf-curling almond aphid in Britain, 146–7.

TALLEY, JANINE, WARREN, FRANCES H. J. B., TORRANCE, L. and JONES, R. A. C. A simple kit for detection of plant viruses by the latex serological test, 77–9.

TAYLOR, J. D. and DUDLEY, C. L. Bacterial disease of coriander, 117–21.

THOMPSON, N. *(joint author)*, see Tyldesley, J. B., 9–20.

TORRANCE, L. *(joint author)*, see Talley, Janine, 77–9.

TUPPEN, R. J. and YEOMANS, M. R. *(Harpalus rufipes* (Degeer) (Carabidae) on wheat ears infested with grain aphid, 202–3.

TYLDESLEY, J. B. and THOMPSON, N. Forecasting *Septoria nodorum* on winter wheat in England and Wales, 9–20.

WARREN, FRANCES H. J. B. *(joint author)*, see Talley, Janine, 77–9.

WHITE, J. G. Control of lettuce big-vein disease by soil sterilisation, 124–30.

WILCOX, H. J. and GLADDERS, P. Silver leaf of blackberry, 98

WOIWOD, I. *(joint author)*, see Dewar, A. M., 101–9.

WRIGHT, DAPHNE M. *(joint author)*, see Hill, S. A., 143–4.

YEOMANS, M. R. *(joint author)*, see Tuppen, R. J., 202–3.

SUBJECT INDEX

Aceria tulipae, 99.
Aclypea opaca, 54.
Aldicarb:
Effect on control of red spider mite by *Phytoseiulus persimilis*, 184.
for Control of nematodes in soil, 132.
Resistance in red spider mite, 184.
Aleochara bilineata, 38.
Amara plebeja, 43.
Aphis gossypii, 191.
Apis mellifera, 177.
Apple:
Blastobasis decolorella, a potentially serious pest, 145.
Surveys of apple-grass aphid in southern England, 1965–76, 136.
Toxicity of diflubenzuron to honey bee colonies in orchards, 177.
Araneidae, 43.
Ascochyta fabae, 59.
Autographa gamma, 123.

Barley:
Barley yellow mosaic virus, 197.
Damage to germ by *Limothrips* spp., 99.
Effect on reproduction and development of *Xiphinema diversicaudatum* and on pore space, moisture content and temperature of soil, 70.
Beans:
Ascochyta fabae on winter beans, 59.
Incidence of *Botrytis* pod rot on *Vicia faba*, 66.
Bembidion lampros, 43.
Benomyl:
Effect on yield of winter wheat, 22.
for Control of silver scurf on potato tubers, 91.
Biological Control:
Effect of aldicarb on control of red spider mite by *Phytoseiulus persimilis* on year-round chrysanthemums, 184.
Blackberry:
Silver leaf, 98.
Blastobasis decolorella, 145.
Botrytis cinerea, 66.
Brachycaudus (Thuleaphis) amygdalinus, 146.
Brassicas:
Identification of lepidopterous larvae infesting brassica crops, 122.

Calathus fuscipes, 43.
Calathus melanocephalus, 43.
Calomel:
for Control of white rot of salad onions, 149, 153.
Captafol:
Effect on yield of winter wheat, 22.
Carabidae, 38.
Carabus granulatus, 43.
Carbendazim:
Effect on yield of winter wheat, 22.
Carbophenothion:
for Control of onion fly, 162.
Chalaropsis thielavioides, 56.
Chilopoda, 43.
Chlorfenvinphos:
for Control of onion fly, 162.
Chloropicrin:
for Control of lettuce big-vein disease, 124.
Chlorpyrifos:
for Control of *Blastobasis decolorella* on apple, 146.
for Control of onion fly, 162.
Chondrostereum purpureum, 98.
Chrysanthemum:
Effect of aldicarb on control of red spider mite by *Phytoseiulus persimilis* on year-round chrysanthemums, 184.
Pirimicarb resistance in melon and cotton aphid, 191.
Colorado Beetle:
Beetles reported in England, Wales and Scotland, 1979, 45.
Coniothyrium fuckelii, 200.
Coriander:
Bacterial disease, 117.

Dazomet:
for Control of lettuce big-vein disease, 124.
for Control of nematodes in soil, 132.
DDT:
for Control of beet carrion beetle on potato, 54.
Delia antiqua, 159.
Delia brassicae, 38.
Delia coarctata, 168.
Dichloropropene:
for Control of lettuce big-vein disease, 124.
for Control of nematodes in soil, 132.
Dieffenbachia:
Dasheen mosaic virus in *Dieffenbachia picta*, 143.
Dieldrin:
for Control of onion fly, 162.
Resistance in onion fly, 166.
Diflubenzuron:
Toxicity to honey bees, 179.
Disease Assessment:
Take-all in winter wheat, 110.
Dithiocarbamate:
Effect on yield of winter wheat, 22.

Erwinia amylovora, 93.
Erwinia herbicola, 93.
Erwinia rhapontici, 93.
Erwinia stewartii, 93.
Erysiphe graminis, 21.
Evergestis forficalis, 123.

Fonofos:
for Control of onion fly, 162.
Forecasting:
Abundance of apple-grass aphid on apple, 136.
Septoria nodorum on winter wheat, 9.

Gaeumannomyces graminis var. *tritici*, 110.
Grass:
Truffles on putting greens, 202.

Harpalus rufipes, 43, 202.
HCH:
Toxicity to honey bees, 179.
Helminthosporium solani, 87.
Hydnobolites cerebriformis, 202.

Iodofenphos:
for Control of onion fly, 162.
Iprodione:
for Control of white rot of salad onions, 149.

Kalanchoe:
Phytophthora nicotianae var. *nicotianae* on *Kalanchoe blossfeldiana*, 98.
Kasugamycin:
for Disinfection of coriander seed, 117.
Kolkwitzia:
Myrothecium roridum leaf blotch on *Kolkwitzia amabilis*, 55.

Lacanobia oleracea, 123.
Lamium:
Downy mildew on *Lamium maculatum*, 201.
Leptinotarsa decemlineata, 45.
Leptosphaeria maculans, 28.
Leptosphaeria nodorum, 21.
Lettuce:
Control of lettuce big-vein disease by soil sterilisation, 124.
Limothrips cerealium, 99.
Limothrips denticornis, 99.
Loricera pilicornis, 43.
Losses caused by:
Take-all in winter wheat, 110.

Malathion:
Toxicity to honey bees, 179.
Mamestra brassicae, 123.
Mancozeb:
Effect on yield of winter wheat, 22.
Maneb:
Effect on yield of winter wheat, 22.
Melanchra persicariae, 123.
Metham sodium:
for Control of lettuce big-vein disease, 124.
for Control of nematodes in soil, 132.
Methoxyethyl mercuric chloride:
for Control of silver scurf on potato tubers, 91.
Methyl bromide:
for Control of lettuce big-vein disease, 124.
Metopolophium dirhodum, 1, 101.
Mycosphaerella graminicola, 21.
Myrothecium roridum, 55.
Myzus persicae, 53.

Nebria brevicollis, 38.
Nematodes:
Effect of four crops on reproduction and development of *Xiphinema diversicaudatum*, 70.
Efficacy of fumigation of nematode-infested soil following different methods of soil sealing, 131.
Spread of arabis mosaic virus through non-cultivated vegetation, 173.
Notiophilus biguttatus, 43.

Oilseed rape:
Beet western yellows virus, 53.
Epidemiology of *Leptosphaeria maculans* stem canker in winter oilseed rape, 28.
Olpidium brassicae, 124.
Onion:
Chemical control of onion fly, 159.
Effect of iprodione in granule or combined granule and stem-base applications on white rot disease of spring-sown salad onions, 149.
Effect of seed and stem-base treatments with thiophanate-methyl on control of white rot disease of autumn-sown salad onions, 153.

Parasitic Insects:
Mortality of overwintering pupae of cabbage root fly, 38.
Paratrichodorus pachydermus, 131.
Peach:
Leaf-curling almond aphid in Britain, 146.
Pentamerismus taxi, 144.
Peperomia:
Phytophthora nicotianae var. *nicotianae* on *Peperomia magnoliaefolia*, 98.
Permethrin:
for Control of onion fly, 162.
Peronospora lamii, 201.
Philonthus spp., 43.
Phygadeuon trichops, 38.
Phytophthora erythroseptica, 80.
Phytophthora nicotianae var. *nicotianae*, 98.
Phytoseiulus persimilis, 184.
Phytotoxicity:
Insecticide treatments for onion fly, 161.
Pieris brassicae, 122.
Pieris napi, 122.
Pieris rapae, 122.
Pirimicarb:
Resistance in melon and cotton aphid, 191.
Pirimiphos-ethyl:
for Control of onion fly, 162.
Plutella xylostella, 123.
Potato:
Damage by beet carrion beetle, 54.
Factors affecting development of silver scurf on tubers, 87.
Factors influencing development of pink rot, 80.
Pratylenchus spp., 131.
Predators:
Harpalus rufipes, 202.
Mortality of overwintering pupae of cabbage root fly, 38.
Phytoseiulus persimilis, 184.
Pseudocercosporella herpotrichoides, 21.
Pseudomonas sp., 117.
Pseudomonas syringae, 118.
Pterostichus spp., 203.
Pterostichus melanarius, 43.
Pterostichus versicolor, 43.

Residues:
Diflubenzuron in honey, 181.
in Onion following seed treatment to control onion fly, 164.
Resistance to Pesticides:
Onion fly to dieldrin, 166.
Melon and cotton aphid to pirimicarb, 191.
Red spider mite to aldicarb, 184.
Rhopalosiphum insertum, 136.
Rose:
Black mould caused by *Chalaropsis thielavioides*, 56.
Rotylenchus robustus, 131.
Ryegrass:
Aceria tulipae on *Lolium* spp., 99.
Effect on reproduction and development of *Xiphinema diversicaudatum* and on pore space, moisture content and temperature of soil, 70.

Sclerotium cepivorum, 149, 153.
Seed Disinfection:
Coriander with streptomycin or kasugamycin, 117.
Seed Testing:
Onion seed treated with insecticide to control onion fly, 161.
Septoria nodorum, 9, 21.
Septoria tritici, 21.
Sitobion avenae, 202.
Spongospora subterranea, 201.
Staphylinus olens, 43.
Strawberry:
Effect on reproduction and development of *Xiphinema diversicaudatum* and on pore space, moisture content and temperature of soil, 70.
Streptomycin:
for Disinfection of coriander seed, 117.
Sugar Beet:
Effect on reproduction and development of *Xiphinema diversicaudatum* and on pore space, moisture content and temperature of soil, 70.
Surveys:
Apple-grass aphid on apple in southern England, 1965–76, 136.

Taxomyia taxi, 144.
Tetranychus urticae, 184.
Thiophanate-methyl:
Effect on yield of winter wheat, 22.
for Control of white rot of salad onions, 153.
Thuya:
Leaf and shoot death on *Thuya orientalis*, 199.
Traps and Trapping:
Ascospores of *Leptosphaeria maculans*, 34.
Predators of cabbage root fly, 40.
Rose-grain aphids over Europe in 1979, 101.
Rose-grain aphids over south-east England in July 1979, 1.
Trechus quadristriatus, 43.
Trichodorus primitivus, 131.
Trichodorus velatus, 131.
Trybliographa rapae, 38.
Typhlodromus tiliae, 144.

Viruses:
Barley yellow mosaic virus, 197.
Beet western yellows virus on oilseed rape, 53.
Identification of dasheen mosaic virus in *Dieffenbachia picta* and *Xanthosoma helliborifolium*, 143.
Kit for detection of plant viruses by latex serological test, 77.
Spread of arabis mosaic virus through non-cultivated vegetation, 173.

Weather in England and Wales:
Spring and Summer 1979, 51.
Autumn and Winter 1979–80, 141.
Wheat:
Effects of late-season fungicide sprays on yield of winter wheat, 21.
Forecasting *Septoria nodorum* on winter wheat, 9.
Harpalus rufipes on wheat ears infested with grain aphid, 202.
Take-all severity and yield in winter wheat, 110.
Termination of diapause in eggs of wheat bulb fly and soil temperature, 167.
Watercress:
New disease, 200.

Xanthosoma:
Dasheen mosaic virus in *Xanthosoma helliborifolium*, 143.
Xiphinema diversicaudatum, 70, 173.

Yew:
Pentamerismus taxi infestation, 144.

Dd 697224 C15 8/81 Ed (18078)